

1 BASIN GAS PASTA-COOKER 26 LT - FIX PANEL - WITH SET OF 2 BASKET GN1/3

Project:
Rev.:
Zone:
Location:



CODE
CR1019239

MODEL
Q70CPM/G400

SERIE
QUEEN 7

GENERAL FEATURES

- 15/10 worktop thickness
- Stainless steel, Scotch-Brite finish
- Sturdy and powerful with compact design
- Depth of 700 mm means it will fit the most common configurations
- Catalogue offers more than 300 standard models
- Worktop, base cabinet, base cabinet with doors and oven versions
- Twin-piece knobs prevent the infiltration of dirt and are watertight
- Gas ranges having burners with various configurations and power ratings: 3,5 kW - 5,7 kW e 7 kW
- Wide range of accessories

The front bar is a new design feature that increases the kitchen's visual importance and offers clear benefits: it is a comfortable place for the chef to lean on; it means you will remain at a safe distance from the worktop and therefore protects from accidentally knocking against both items lying on the worktop and the knobs.



TECHNICAL DETAILS

GAS

1 BASIN GAS PASTA-COOKER 26 LT - FIX PANEL - WITH SET OF 2 BASKET GN1/3

- Large capacity (26 litres) alloy AISI 316 stainless steel cooking tank with excellent corrosion resistance even at high temperatures. They are moulded with internal rounded corners for maximum hygiene and cleaning, and are equipped with wide foam expansion areas and a drain device for residue starch.
- Stable flame burners with pilot burner piezo ignition.
- Safety valve with thermocouple and progressive adjustment of the supplied power independent for each tub.

1 BASIN GAS PASTA-COOKER 26 LT - FIX PANEL - WITH SET OF 2 BASKET GN1/3

CODE
CR1019239

MODEL
Q70CPM/G400

SERIE
QUEEN 7

TECHNICAL INFORMATION

SPECIFICATIONS	DATA
CODE	CR1019239
DEFINITION	Q70CPM/G400 FULL GAS 1V.28LT M40 S/POR.
MODEL	Q70CPM/G400
COMMERCIAL LINE	QUEEN
SUPPLY	GAS
WIDTH	400 MM
DEPTH	700 MM
HEIGHT	870 MM
NET WEIGHT	45,000
VOLUME	0,244 M3
PACKAGING LENGTH	820,000
PACKAGING WIDTH	440,000
PACKAGING HEIGHT	1170,000
PACKAGING VOLUME	0,600
PACKAGING GROSS WEIGHT	58,000
GAS TYPE	METANO "H, E" G20 20/25mbar
GAS POWER (G30/30 MBAR)	10,50 KW
GAS POWER (G25/25 MBAR)	9,50 KW
CERTIFIED MODEL	Q70CPM/G400
CERTIFICATION NUMBER	CE-0085BT0057
CERTIFICATION BODY	0085
CAPACITY	26 litri
TYPE	1 VASCA
NUMBER OF MODULES	1/2 MODULO

1 BASIN GAS PASTA-COOKER 26 LT - FIX PANEL - WITH SET OF 2 BASKET GN1/3

CODE	MODEL	SERIE
CR1019239	Q70CPM/G400	QUEEN 7

ACCESSORIESES

CODE	MODEL	DESCRIPTION
CR0999079	CCP12	CCP12 BASKET CP GN1/2 IMP. LATERAL
CR0999089	CCP13L	CCP13L BASKET CP GN1/3 IMP. LATERAL
CR0999099	CCP13F	CCP13F BASKET CP GN1/3 IMP. FRONTAL
CR0999109	CCP16D	CCP16D BASKET CP GN1/6 IMP. RIGHT
CR0999119	CCP16S	CCP16S BASKET CP GN1/6 IMP. LEFT
CR0999129	CCP19	CCP19 BASKET CP GN1/9 IMP. FRONTAL
CR0999139	GFCP26	GFCP26 BOTTOM GRID CP TANK 26LT
CR0999159	CVCP26	CVCP26 Lids for CP TANK 26LT
CR0999229	7KIT-A	7KIT - A KIT BASKET PASTA-COOKERS
CR0999239	7KIT-B	7KIT - B KIT BASKET PASTA-COOKERS
CR0999249	7KIT-C	7KIT - C KIT BASKET PASTA-COOKERS
CR0985539	ZL70	INOX SIDE PLINTH 700 SERIE
CR0592770	ZA40	FRONT PLINTH
CR0985539	ZL70	INOX SIDE PLINTH 700 SERIE
MA97432000	NXR	SET OF WHEELS NXR
MA97433000	NXRI	SET OF WHEELS INOX NXRI
CR0990359	CH20	DIRECTABLE WATER FLUE
CR0980009	CANT	TUBULAR HANDRAIL FRONTALE (AL METRO LINEARE)
CR0980019	9CLAT	TUBULAR HANDRAIL LATERALE SERIE 900
CR0980029	18CLAT	DOUBLE SIDE TUBULAR HANDRAIL SERIE 900
CR1015229	Q70FTDX	END SIDE ELEMENT QUEEN7 - RIGHT
CR1015239	Q70FTSX	END SIDE ELEMENT QUEEN7 - RIGHT
CR1015249	Q70FT140	END SIDE ELEMENT QUEEN7 - PASSTROUGHT
BN418031900191	7PRD	PIANO LATERALE RIBALTABILE DESTRO
BN418031900440	7PFD	PIANO LATERALE FISSO DESTRO
BN418031900201	7PRS	PIANO LATERALE RIBALTABILE SINISTRO
BN418031900450	7PFS	PIANO LATERALE FISSO SINISTRO
BN418031900320	7TLD	TOP FINISHING END PIECE QUEEN7 - DX
BN418031900330	7TLS	TOP FINISHING END PIECE QUEEN7 - SX
BN418031900360	14TL	TOP FINISHING END PIECE QUEEN7 - PASS-TROUGHT
BN418031920420	FC2	Chest (False fireplace) L 20 cm
BN418031920430	FC4	Chest (False fireplace) L 40 cm
BN418031920490	FC6	Chest (False fireplace) L 60 cm
BN418031920440	FC8	Chest (False fireplace) L 80 cm
BN418031920450	FC10	Chest (False fireplace) L 100 cm
BN418031920460	FC12	Chest (False fireplace) L 120 cm
BN418031920470	FC16	Chest (False fireplace) L 160cm
BN418031920070	7RIP4	Lower shelf l 40 cm
BN418031920080	7RIP8	Lower shelf l 80 cm
BN418031920090	7RIP12	Lower shelf l 120 cm
BN418031920100	7RIP16	Lower shelf l 160 cm
BN418031920110	PP8	Front porzerent plane P 100 mm



**1 BASIN GAS PASTA-COOKER 26 LT - FIX
PANEL - WITH SET OF 2 BASKET GN1/3**

CODE	MODEL	SERIE
CR1019239	Q70CPM/G400	QUEEN 7

BN418031920300	PP12	Frontal portioning plane P 130 mm
----------------	------	-----------------------------------

BN418031920480	PP16	Front porzerent plane P 100 mm
----------------	------	--------------------------------

**1 BASIN GAS PASTA-COOKER 26 LT - FIX
PANEL - WITH SET OF 2 BASKET GN1/3**

CODE
CR1019239

MODEL
Q70CPM/G400

SERIE
QUEEN 7



PRODUCT'S RANGE PLUS



Safety pressure switch prevents heating if there is no water in the basin.



Internal compartment not accessible for total safety in use, closed with a door for aesthetic alignment.



Safety pressure switch to prevent the activation of heating without water in tank.



Thanks to the water jet ingress protection rating, awarded after passing specific tests, knobs and knob bezels can be washed at the end of the working day without affecting performance or safety.



The front bar is a comfortable place for the chef to lean on; it means you will remain at a safe distance from the worktop and therefore protects from accidentally knocking against both items lying on the worktop and the knobs.

1 BASIN GAS PASTA-COOKER 26 LT - FIX PANEL - WITH SET OF 2 BASKET GN1/3


CODE
CR1019239

MODEL
Q70CPM/G400

SERIE
QUEEN 7

SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION -INSTALLATIESCHEMA - IINSTALLATIONSRTNINGAR

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm- MESURES EN cm
MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm



Legenda - Legende - Key - Légende - Leyenda - Legenda - Legenda

E	Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico	G	Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligaçao gás EN 10226-1 R 1/2; EN ISO 228-1 G 1/2 (DK)
S	Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água EN 10226-1 R1	H2O	Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de agua - Wateraansluiting - Junção alimentação água
S1	Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba	A1	Calda - Heiss - Warm - Chaude - Caliente - Warm - Morno
S2	Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de depresión - Onderdrukklep - Válvula de depressão	A2	Fredda - Kalt - Cold - Froid - Fria - Koude - Frio Ø= 1 cm
S3	Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket water drain Evacuation eau double envelope - Descarga de agua intersticios - Afvoer water tussenuimte - Descarga de água na marmitta com Sistema de aquecimento indirecto	L	Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaakraan - Torneira de nível