Project:
Rev.:
Zone:
Location:



CR0856089

MODEL 6NFR/G400 SERIE 600

### **GENERAL FEATURES**

A line of compact cooking appliances, designed for people whodo not want to give up on high performance, even in small spaces. Made of AISI 304 18/10 stainless steel, elegantly finished with Scotch Brite satin finish, it has rounded edges and capacious recessed areas; it is 600/650 mm deep and has a modular width of 400/600/700/800/1000 mm; the series comes complete with open base supports, with cupboards or refrigerated bases. The appliances can be easily put together to build a unit, that is compact, without any gaps thanks to a covering profile that guarantees protection against leaks and therefore excellent hygiene. High flues, ergonomic knobs mounted on a sloped control panel for better visibility, make this range easy to use from the very first time. All models are CE-approved.



## **TECHNICAL DETAILS**

#### GAS

## 1 BASIN GAS DEEP FAT FRYER 8 LT

The fryers have specific high powers to ensure high quality of the fried product, as it reduces the amount of oil that is absorbed. The specific powers provided are 1 kW/l. These truly are the power levels of largesize professional machines. The sensitivity of the thermostat with bulb positioned in the center of the tank, guarantees maximum temperature control with rapid response times to drops in temperature. Piezoelectric ignition, pilot flame and valve with thermocouple to ensure maximum safety. The temperature can be adjusted from 60 to 190°C.





CR0856089

MODEL 6NFR/G400 SERIE 600

# TECHNICAL INFORMATION

SPECIFICATIONS	DATA				
CODE	CR0856089				
DEFINITION	FRIGGITRICE G.8L 60 M40 6NFR/G400				
COMMERCIAL LINE	SERIE 600				
SUPPLY	GAS				
WIDTH	400 MM				
DEPTH	650 MM				
HEIGHT	295 MM				
NET WEIGHT	19,400				
VOLUME	0,077 M3				
PACKAGING LENGTH	440,000				
PACKAGING WIDTH	780,000				
PACKAGING HEIGHT	680,000				
PACKAGING VOLUME	0,233				
PACKAGING GROSS WEIGHT	25,000				
GAS POWER (G30/30 MBAR)	7,00 KW				
GAS POWER (G25/25 MBAR)	6,65 KW				
CERTIFIED MODEL	6NFR/G400				
CERTIFICATION NUMBER	CE-0085DL0223				
CERTIFICATION BODY	0085				





CR0856089

6NFR/G400

SERIE 600

## ACCESSORIESES

CODE	MODEL	DESCRIPTION				
CR0858029	6P4D/S	PORTINA PER BASE 400				
CR0858059	6P6D/S	PORTINA PER BASE 600				
CR0858039	6P7D/S	SET 2 DOORS PER BASE 700				
MA10405042000	6PIC4	SHELF FOR SUPPORTS				
MA10405043000	6PIC6	SHELF FOR SUPPORTS				
CR0858079	6PIC7	RIPIANO PER CAVALLETTO				
MA10405099000	6PIC8	SHELF FOR SUPPORTS				
CR0858149	C70X-GRFVS	CHROME GRID FOR OVEN 650 SERIES				
CR0858159	C70X-TFVS	STAINLESS STEEL TRAY FOR OVEN				
CR0858009	6CS 4	KIT DRAWERS PER BASE 400				
CR0858049	6CS 60	KIT DRAWERS PER BASE 600				
MA10405014900	6CGN	COPRIGIUNTO				
MA10405016900	6FC4 BACK CHIMNEY					
MA10405017900	6FC6	BACK CHIMNEY				
CR0858019	6FC7	BACK CHIMNEY				
6FC8	6FC8	CHIMNEY				
CR0858069	6FC10	BACK CHIMNEY				
6TVA4	6TVA4	FRAME FOR ALIGNMENT COMPARTMENT TO THE REFRIGERATED BASE				
6TVA6	6TVA6	FRAME FOR ALIGNMENT COMPARTMENT TO THE REFRIGERATED BASE				
6TVA8	6TVA8	FRAME FOR ALIGNMENT COMPARTMENT TO THE REFRIGERATED BASE				
8012900010	BOT/2C	BOTTLE				
CR0952459	6TBR12.1	FRAME FOR ALIGNMENT COMPARTMENT TO THE REFRIGERATED BASE				





CODE

CR0856089

MODEL 6NFR/G400 SERIE 600



In the gas version, the burner is outside the tank, is made with stainless steel and has a stabilised flame. Piezoelectric ignition and safety ensured by a valve with a thermocouple and pilot flame.



The fryers have moulded tanks with a sloped bottom to help drain oil.








CR0856089


MODEL 6NFR/G400 SERIE 600


SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION -INSTALLATIESCHEMA - IINSTALLATIONSRITNINGAR

# MISURE IN mm - DIMENSIONS IN mm - ABMESSUNGEN IN mm MESURES EN mm - MEDIDAS EN mm - MATEN IN mm

F64G8	OF64G8		F66G8		OF66G8		38
6NFR/G400	EFG62108T		6NFR/G600		EFG63208T		
	0					0	
0.	<b>≙</b> ●		C	) 景 •	• 角	9	
T			T	<del></del>		Ĭ	
36	328 36		36	- 5	28	-	36







Legenda - Legende - Key - Legende - Leyenda - Legenda - Legenda

G Attacco arrivo gas - Gasanschluss - Gas connection Arriveè gaz - Union da gas - Gasaansluiting -EN 10226-1 R 1/2; EN ISO 228-1 G 1/2 (DK)

1

